## **CLAIMS:**

- 1. A method for the treatment of prophylaxis breast cancer in a mammal, said method comprising administering to said mammal an effective amount of one or more cytokines or functional derivatives or agonists of said one or more cytokines for a time and under conditions sufficient to ameliorate the effects of or to delay onset of said cancer.
- 2. A method according to claim 1 wherein the cytokines are selected from the list consisting of oncostatin M (OSM), interleukin-6 (IL-6), interleukin-11 (IL-11), leukaemia inhibitory factor (LIF) and epidermal growth factor (EGF) or other members of the EGF family.
- 3. A method according to claim 1 wherein the cytokine is OSM.
- 4. A method according to claim 1 wherein the cytokine is LIF.
- 5. A method according to claim 2 or 3 or 4 wherein the cytokine is of human or murine origin.
- 6. A method according to claim 1 or 2/wherein the breast cancer is metastic breast cancer.
- 7. A method according to claim 1 or wherein the breast cancer is early breast cancer.
- 8. A method according to any one of the preceding claims further comprising the simultaneous or sequential administration of at least one other therapeutic agent.
- 9. A method according to claim 8 wherein the other therapeutic agent is a chemotherapeutic agent or a hormone.
- 10. A method according to claim 9 wherein the chemotherapeutic agent is selected from cyclophosphamide, vincristine, methotrexate, cisplatin melphalan and adriamycin.

- 11. A method according to claim 9 wherein the hormone is tamoxifen or other anti-estrogens.
- 12. A method according to claim 1 wherein the cytokine is administered in an amount from about 0.5  $\mu$ g to about 2 mg per kilogram of body weight of mammal.
- 13. A method according to claim 1 wherein the mammal is a human.
- 14. A pharmaceutical composition effective in ameliorating the effects of breast cancer or delaying onset of breast cancer in a mammal comprising at least one cytokine or a functional derivative or agonist thereof and one or more pharmaceutically acceptable carriers and/or diluents.
- 15. A pharmaceutical composition according to claim 14 comprising a cytokine selected from IL-6, OSM, IL-11, LIF and EGF or other members of the EGF family.
- 16. A pharmaceutical composition according to claim 14 where the cytokine is OSM.
- 17. A pharmaceutical composition according to claim 14 wherein the cytokine is LIF.
- 18. A pharmaceutical composition according to claim 14 or 15 or 16 further comprising a chemotherapeutic agent or a hormone.
- 19. A pharmaceutical composition according to claim 18 wherein the chemotherapeutic agent is selected from cyclophosphamide, vincristine, methotrexate, cisplatin, melphalan and adriamycin.
- 20. A pharmaceutical composition according to claim \ 18 wherein the hormone is tamoxifen or other anti-estrogens.
- 21. Use of a cytokine or a functional derivative or agonist thereof in the manufacture of a medicament for the treatment or prophylaxis of preast cancer in a mammal.

- 22. Use according to daim 21 wherein the cytokine is IL-6, OSM, EGF, IL-11 or LIF.
- 23. Use according to claim 22 where the cytokine is OSM.
- 24. Use according to claim 22 wherein the cytokine is LIF.
- 25. Use according to claim 22 wherein the mammal is a human.
- 26. An agent comprising a cytokine or a functional derivative or agonist thereof for the treatment or prophylaxis of breast cancer in a mammal.
- 27. An agent according to claim 26 wherein the cytokine is IL-6, OSM, IL-11, LIF or EGF or other members of the EGF family.
- 28. An agent according to claim 26 wherein the cytokine is OSM
- 29. An agent according to claim 26 wherein the cytokine is LIF.

dd BI